Exterior

Exterior Lighting Columns

HILCLARE LIGHTING MANUFACTURER LED BY DESIGN ---

Lighting Columns



Features

- ✓ TBS EN 40 compliant
- ✓ Wrap around door at ground level
- ✓ Hinged options available
- ✓ RAL options available







Root Mounted Columns

Description	Code	Ground Level Height (m)	Root Length (mm)	Base Diameter	Shaft Diameter
4m Root Mounted Column	CM4R	4	800	Ø140mm	76
6m Root Mounted Column	CM6R	6	1000	Ø140mm	76
8m Root Mounted Column	CM8R	8	1200	Ø168mm	89
10m Root Mounted Column	CM10R	9.7	1500	Ø168mm	114
12m Root Mounted Column	CM12R	11.7	1500	Ø192mm	168

Flang Plated Columns

Description	Code	Ground Level Height (m)	Root Length (mm)	Base Diameter	Shaft Diameter
4m Flanged Plated Column	CM4F	4	200x200	Ø140mm	76
6m Flanged Plated Column	CM6F	6	200x200	Ø140mm	76
8m Flange Plated Column	CM8F	8	300x300	Ø168mm	89
10m Flange Plated Column	CM10F	9.7	300x300	Ø168mm	114
12m Flanged Plated Column	CM12F	11.7	300x300	Ø192mm	168







Spiggots & Accessories

Product Number

Single Floodlight Spigot, To Suit Ø76mm Column Entry CMSPI-101 Two & Four-Way Floodlight Spigot, To Suit Ø101.6m Column Entry CMSP2/4 Twin Floodlight Spigot, To Suit Ø101.6mm Column Entry CMSP2-101 300mm Single Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot Diameter, Ø76mm Column Diameter RLR030-48-76-5D 300mm Single Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot Diameter, Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot Spigot To Fit Ø76mm Column Diameter 300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot FWB/300/48 300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot FWB/300/60/5 101mm To 76mm Column Reducer CM101R76 101mm To 76mm Column Reducer CM101R76 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HCS6MWMH 5m-6m Raise And Lower Rope	Description	Code
Two & Four-Way Floodlight Spigot, To Suit Ø76mm Column Entry Twin Floodlight Spigot, To Suit Ø101.6mm Column Entry CMSP2-101 300mm Single Streetlight Arm Supplied With 5° Angle. @42mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. @48mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. @48mm Spigot Diameter, Ø76mm Column Diameter 2 X 300mm Single Streetlight Arm Supplied With 5° Angle. @60mm Spigot Diameter, Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. @42mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. @48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. @48mm Spigot To Fit Ø76mm Column Diameter 3 X 300mm Twin Streetlight Arm Supplied With 5° Angle. @60mm Spigot To Fit Ø76mm Column Diameter 3 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot 5 WB/300/60/5 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 5 WB/300/76/5 114mm To 76mm Column Reducer CM114R76 101mm To 76mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope	Single Floodlight Spigot, To Suit Ø76mm Column Entry	CMSPI
Twin Floodlight Spigot, To Suit Ø101.6mm Column Entry CMSP2-101 300mm Single Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot Diameter, Ø76mm Column Diameter RLR030-48-76-5D 300mm Single Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot Diameter, Ø76mm Column Diameter RLR030-60-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column Diameter 3 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column Diameter 3 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot 5 WB/300/48 3 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot 5 WB/300/60/5 3 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 6 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 7 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 7 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 8 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 9 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Spigot Brit Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Spigot Brit Wall Mounted Bracket, To Suit Ø76mm Spigot 1 WB/300/76/5 1 X 300mm Spigot Brit Wall Mounted Brac	Single Floodlight Spigot, To Suit Ø101.6m Column Entry	CMSP1-101
300mm Single Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot Diameter, Ø76mm Column Diameter 300mm Single Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot Diameter, Ø76mm Column Diameter 2 X 300mm Single Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot Diameter, Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column Diameter 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column Diameter 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot 5 WB/300/48 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot FWB/300/60/5 101mm To 76mm Column Reducer CM104R76 101mm To 76mm Column Reducer CM104R76 5 CM104R3G 5 m-6m Column Winch For Mid Hinged Column (Max 30kg) HCS6MWMH 5 m-6m Raise And Lower Rope HCS/6MRLR	Two & Four-Way Floodlight Spigot, To Suit Ø76mm Column Entry	CMSP2/4
Ø42mm Spigot Diameter, Ø76mm Column Diameter RLRO30-48-76-5D 300mm Single Streetlight Arm Supplied With 5° Angle. RLRO30-48-76-5D 300mm Single Streetlight Arm Supplied With 5° Angle. RLRO30-60-76-5D Ø60mm Spigot Diameter, Ø76mm Column Diameter RLRO30-60-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. RLRO30-242-76-5D Ø42mm Spigot To Fit Ø76mm Column Diameter RLRO30-248-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. RLRO30-248-76-5D Ø48mm Spigot To Fit Ø76mm Column Diameter RLRO30-260-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. RLRO30-260-76-5D Ø60mm Spigot To Fit Ø76mm Column Diameter RLRO30-260-76-5D 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot FWB/300/48 300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot FWB/300/60/5 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot FWB/300/76/5 114mm To 76mm Column Reducer CM114R76 101mm To 76mm Column Reducer CM101R76 76mm To 60mm Column Reducer CM60R43C 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Column Vinch For Mid Hinged Column (Max 30kg) HC56MRLR	Twin Floodlight Spigot, To Suit Ø101.6mm Column Entry	CMSP2-101
Ø48mm Spigot Diameter, Ø76mm Column Diameter RLRO30-40-76-3D 300mm Single Streetlight Arm Supplied With 5° Angle. RLRO30-60-76-5D Ø60mm Spigot Diameter, Ø76mm Column Diameter RLRO30-242-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. RLRO30-242-76-5D Ø42mm Spigot To Fit Ø76mm Column Diameter RLRO30-248-76-5D 2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. RLRO30-248-76-5D Ø48mm Spigot To Fit Ø76mm Column Diameter RLRO30-260-76-5D 300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot FWB/300/48 300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot FWB/300/60/5 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot FWB/300/76/5 114mm To 76mm Column Reducer CM114R76 101mm To 76mm Column Reducer CM101R76 76mm To 60mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR		RLRO30-42-76-5D
Ø60mm Spigot Diameter, Ø76mm Column DiameterRLR030-2076-3D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø42mm Spigot To Fit Ø76mm Column DiameterRLR030-242-76-5D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column DiameterRLR030-248-76-5D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column DiameterRLR030-260-76-5D300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm SpigotFWB/300/48300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm SpigotFWB/300/60/5300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm SpigotFWB/300/76/5114mm To 76mm Column ReducerCM114R76101mm To 76mm Column ReducerCM101R7676mm To 60mm Column ReducerCM76R60G60mm To 42mm Column ReducerCM60R43G5m-6m Column Winch For Mid Hinged Column (Max 30kg)HC56MWMH5m-6m Raise And Lower RopeHC5/6MRLR		RLRO30-48-76-5D
Ø42mm Spigot To Fit Ø76mm Column DiameterRLRO30-248-76-5D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø48mm Spigot To Fit Ø76mm Column DiameterRLRO30-248-76-5D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column DiameterRLRO30-260-76-5D300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm SpigotFWB/300/48300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm SpigotFWB/300/60/5300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm SpigotFWB/300/76/5114mm To 76mm Column ReducerCM114R76101mm To 76mm Column ReducerCM101R7676mm To 60mm Column ReducerCM76R60G60mm To 42mm Column ReducerCM60R43C5m-6m Column Winch For Mid Hinged Column (Max 30kg)HC56MWMH5m-6m Raise And Lower RopeHC5/6MRLR		RLRO30-60-76-5D
Ø48mm Spigot To Fit Ø76mm Column DiameterRLRO30-260-76-5D2 X 300mm Twin Streetlight Arm Supplied With 5° Angle. Ø60mm Spigot To Fit Ø76mm Column DiameterRLRO30-260-76-5D300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm SpigotFWB/300/48300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm SpigotFWB/300/60/5300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm SpigotFWB/300/76/5114mm To 76mm Column ReducerCM114R76101mm To 76mm Column ReducerCM76R60G76mm To 60mm Column ReducerCM76R60G60mm To 42mm Column ReducerCM60R43G5m-6m Column Winch For Mid Hinged Column (Max 30kg)HC56MWMH5m-6m Raise And Lower RopeHC5/6MRLR		RLRO30-242-76-5D
Ø60mm Spigot To Fit Ø76mm Column Diameter300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm SpigotFWB/300/48300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm SpigotFWB/300/60/5300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm SpigotFWB/300/76/5114mm To 76mm Column ReducerCM114R76101mm To 76mm Column ReducerCM76R60G76mm To 60mm Column ReducerCM76R60G60mm To 42mm Column ReducerCM60R43G5m-6m Column Winch For Mid Hinged Column (Max 30kg)HC56MWMH5m-6m Raise And Lower RopeHC5/6MRLR		RLRO30-248-76-5D
300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot FWB/300/60/5 300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot FWB/300/76/5 114mm To 76mm Column Reducer CM114R76 101mm To 76mm Column Reducer CM101R76 76mm To 60mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR		RLRO30-260-76-5D
300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot FWB/300/76/5 114mm To 76mm Column Reducer CM114R76 101mm To 76mm Column Reducer CM101R76 76mm To 60mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	300mm Single Arm Wall Mounted Bracket, To Suit Ø48mm Spigot	FWB/300/48
114mm To 76mm Column Reducer CM101R76 CM101R76 76mm To 60mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	300mm Single Arm Wall Mounted Bracket, To Suit Ø60mm Spigot	FWB/300/60/5
101mm To 76mm Column Reducer CM101R76 76mm To 60mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	300mm Single Arm Wall Mounted Bracket, To Suit Ø76mm Spigot	FWB/300/76/5
76mm To 60mm Column Reducer CM76R60G 60mm To 42mm Column Reducer CM60R43G 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	114mm To 76mm Column Reducer	CM114R76
60mm To 42mm Column Reducer 5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	101mm To 76mm Column Reducer	CM101R76
5m-6m Column Winch For Mid Hinged Column (Max 30kg) HC56MWMH 5m-6m Raise And Lower Rope HC5/6MRLR	76mm To 60mm Column Reducer	CM76R60G
5m-6m Raise And Lower Rope HC5/6MRLR	60mm To 42mm Column Reducer	CM60R43G
·	5m-6m Column Winch For Mid Hinged Column (Max 30kg)	HC56MWMH
	5m-6m Raise And Lower Rope	HC5/6MRLR
Column Key CMKEY	Column Key	CMKEY







